

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	69	(application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bech\$1mark test\$5) same (select\$5)) and (download\$5) and ((multiple many several) with (module software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 14:16
L2	4	(@ad<"20010222").ad. and (application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bech\$1mark test\$5) same (select\$5)) and (download\$5) and ((multiple many several) with (module software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 14:18
L3	0	(@ad<"20010222").ad. and (application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bech\$1mark\$5) same (select\$5)) and (download\$5) and ((multiple many several) with (module software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 14:18
L4	1	(@ad<"20010222").ad. and (application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bech\$1mark\$5 trial\$5 (try adj2 buy)) same (select\$5)) and (download\$5) and ((multiple many several) with (module software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 14:20
L5	0	(@ad<"20010222").ad. and (application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bech\$1mark\$5 (try adj2 buy)) same (select\$5)) and (download\$5) and ((multiple many several) with (module software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 14:20
L6	0	(@ad<"20010222").ad. and (application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 (try adj2 buy)) same (select\$5)) and (download\$5) and ((multiple many several) with (module software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 14:21

EAST Search History

L7	0	(application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 (try adj2 buy)) same (select\$5)) and (download\$5) and ((multiple many several) with (module software))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 15:06
L8	7	("6904449").URPN.	USPAT	OR	OFF	2007/01/04 15:00
L9	1	("5892900").pn.	USPAT	OR	OFF	2007/01/04 15:00
L10	377	("5892900").URPN.	USPAT	OR	OFF	2007/01/04 15:01
L11	0	L10 and ((calculat\$5 with (express\$5 formula)) same (currency cash coin))	USPAT	OR	ON	2007/01/04 15:02
L12	4	L10 and ((calculat\$5 with (express\$5 formula)) and (currency cash coin))	USPAT	OR	ON	2007/01/04 15:05
L13	5	L10 and ((calculat\$5 same (express\$5 formula)) and (currency cash coin))	USPAT	OR	ON	2007/01/04 15:06
L14	5	L10 and ((calculat\$5 same (express\$5 formula)) and (currency cash coin))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 15:06
L15	0	(application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 (try adj2 buy)) same (select\$5)) and (download\$5) and ((multiple many several) with (module software))	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:17
L16	0	(application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 (try adj2 buy)) same (select\$5)) and (download\$5)	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:17
L17	648	(application adj service adj provider)	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:17
L18	0	(application adj service adj provider) and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 (try adj2 buy)) same (select\$5)) and (download\$5)	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:17

EAST Search History

L19	11	(application adj service adj provider) and ((usage use utiliz\$8) with (time period threshold))	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:17
L20	0	(application adj service adj provider) and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 (try adj2 buy)) same (select\$5))	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:18
L21	0	(application adj service adj provider) and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 (try adj2 buy)) and (select\$5))	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:18
L22	0	(application adj service adj provider) and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 test\$5 (try adj2 buy)) and (select\$5))	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:18
L23	0	(application adj service adj provider) and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 test\$5 (try adj2 buy)))	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:18
L24	0	(application adj service adj provider) and ((usage use utiliz\$8) with (time period threshold)) and ((bechmark\$5 test\$5 trial (try adj2 buy)))	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:18
L25	<i>pend</i> 11	(application adj service adj provider) and ((usage use utiliz\$8) with (time period threshold))	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:19
L26	1	"20030133150".pn.	FPRS; EPO; JPO; DERWENT	OR	ON	2007/01/04 15:19
S30	2	("20020178081").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:32
S31	356	(@ad<"20010222").ad. and (application adj3 service adj3 provider) and regist\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:35
S32	26	(@ad<"20010222").ad. and (application adj3 service adj3 provider) and regist\$6 and ((utiliz\$5 or using or use or usage) near5 (fee charge)) and (duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:47

EAST Search History

S33	2	(@pd<"20000222").pd. and (application adj3 service adj3 provider) and regist\$6 and ((utiliz\$5 or using or use or usage) near5 (fee charge)) and (duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:46
S34	12	(@ad<"20010222").ad. and (application adj1 service adj1 provider) and regist\$6 and ((utiliz\$5 or using or use or usage) near5 (fee charge)) and (duration length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:52
S35	2	("5892900").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:53
S36	0	("5892900").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 10:05
S37	2	("5892900").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:45
S38	1	("5892900").pn. and (spreadsheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:38
S39	0	("5892900").pn. and ((appl\$5) adj3 (service adj2 provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:08
S40	1	("5892900").pn. and ((service adj2 provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:12
S41	0	("5892900").pn. and ((bench\$1mark))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:13
S42	0	("5892900").pn. and ((bench\$1mark\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:13

EAST Search History

S43	18	(@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:16
S44	0	(@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) and ((guest or temporary) near5 (user usage ID login))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:16
S45	18	(@ad<"20010222").ad. and (mall or portal or clearing\$1house) and ((add and delete and update) near5 (software module application version)) and ((application or content) near3 (service adj2 provider)) and (duration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:45
S46	1	("5892900").pn. and (provider near5 (register\$4 registra\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:42
S47	1	("5892900").pn. and ((run\$5 execut\$4) near5 (applicat\$5 module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:43
S48	1	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:53
S49	1	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost) same duration) and ((start end) near5 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:25
S50	1	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost)) same (settl\$5 distribut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:27

EAST Search History

S51	0	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost)) same (settl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:27
S52	1	("5892900").pn. and ((utiliz\$5 usage us\$4) near5 (charge fee cost)) same (payment\$5 settl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:28
S53	1	("5892900").pn. and ((utiliz\$5 usage us\$4) same (charge fee cost)) same (payment\$5 settl\$5) same (content adj2 provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:33
S54	1	("5892900").pn. and ((add\$5 and delet\$5 and updat\$5) same (content software application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:35
S55	1	("5892900").pn. and ((add\$5 and delet\$5 and updat\$5) same (content or software or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:36
S56	1	("5892900").pn. and ((add and delet\$5 and (modif\$5 updat\$5)) same (content or software or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:38
S57	1	("5892900").pn. and (delet\$5) same (content or software or application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:41
S58	1	("5892900").pn. and (monitor\$5 near5 (execut\$5 run\$5 utiliz\$7 usage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:46
S59	345098	(@ad<"20010222").ad. and (duration or ((start and end) near5 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:45
S60	1	("5892900").pn. and (monitor\$5 near5 (execut\$5 run\$5 utiliz\$7 usage)) and (duration or ((start and end) near5 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:46

EAST Search History

S61	1	("5892900").pn. and ((start and end) near5 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:50
S62	1	("5892900").pn. and (icon and screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:53
S63	0	("5892900").pn. and ((temporary) near10 (user ID login))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:54
S64	0	("5892900").pn. and (trial near10 (user ID login))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:55
S65	1	("5892900").pn. and (provisional passing short term short lived provisional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:56
S66	1	("5892900").pn. and (provisional same passing short term short lived provisional) and (free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:56
S67	0	("5892900").pn. and (provisional same passing short term short lived provisional) same (free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:56
S68	1	("5892900").pn. and (free and (without near5 charg\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:57
S69	1	("5892900").pn. and free and (without same (cost\$4 charg\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:59
S70	1	("5892900").pn. and (free or trial)and (without same (cost\$4 charg\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 11:59

EAST Search History

S71	1	("5892900").pn. and (search\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:38
S72	1	("5892900").pn. and (result\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:39
S73	1	("5892900").pn. and ((transmit\$5 send\$5 download\$5) with (output result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:11
S74	0	("5892900").pn. and (LEIS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:11
S75	1	("5892900").pn. and (LExIS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:12
S76	1	("5892900").pn. and (LExIS spread\$1sheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:13
S77	1	("5892900").pn. and (LExIS spread\$1sheet video graphic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:19
S78	1	("5892900").pn. and (execut\$5 with server) and (LExIS spread\$1sheet video graphic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:20
S79	0	("5892900").pn. and (execut\$5 with session with server) and (LExIS spread\$1sheet video graphic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:20
S80	0	("5892900").pn. and ((execut\$5 with server) same (LExIS spread\$1sheet video graphic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:20

EAST Search History

S81	1	("5892900").pn. and (execut\$5 with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:25
S82	1	("5892900").pn. and ((execut\$5 run\$5) with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:26
S83	1	("5892900").pn. and ((execut\$5 run\$5) with (distributor server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:27
S84	0	("5892900").pn. and ((execut\$5 run\$5) with (distributor server) with output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:27
S85	0	("5892900").pn. and ((execut\$5 run\$5) with (distributor server) with download)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:28
S86	118808	("5892900").pn. and ((execut\$5 run\$5) with (distributor server)) or download\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:28
S87	1	("5892900").pn. and (((execut\$5 run\$5) with (distributor server)) or download\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:46
S88	1	("5892900").pn. and (resourc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:53
S89	1	("5892900").pn. and (resourc\$5 with remot\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:54
S90	1	("5892900").pn. and ((resourc\$5 with remot\$5) same (real\$1time on\$1line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:54

EAST Search History

S91	1	("5892900").pn. and ((resourc\$5 with remot\$5) and (real\$1time on\$1line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 15:58
S92	1	("5892900").pn. and ((resourc\$5 with remot\$5) and (real\$1time on\$1line) and stream\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 16:39
S93	1	("5892900").pn. and (word\$1process\$5 spread\$1sheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 16:40
S94	1	("5892900").pn. and ((word\$1process\$5 spread\$1sheet) with regist\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 16:40
S95	0	("5892900").pn. and (databse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 07:55
S96	1	("5892900").pn. and (database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 07:55
S97	1	("5892900").pn. and (database with distributor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 07:56
S98	1	("5892900").pn. and (database with (content adj3 creator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 07:57
S99	1	("5892900").pn. and (database with (content) with music)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 07:58
S100	0	("5892900").pn. and (database with (content) with (spread\$1sheet word\$1process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 07:58

EAST Search History

S10 1	0	("5892900").pn. and (database with (spread\$1sheet word\$1process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 07:58
S10 2	1	("5892900").pn. and ((spread\$1sheet word\$1process\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 07:58
S10 3	1	("5892900").pn. and (search with (content music))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:07
S10 4	0	("5892900").pn. and (search with (content adj3 user) with (content music))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:07
S10 5	0	("5892900").pn. and (search with (content adj3 user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:07
S10 6	0	("5892900").pn. and (search with (request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:08
S10 7	0	("5892900").pn. and (search with (request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:08
S10 8	1	("5892900").pn. and (search\$5 with (request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:09
S10 9	0	("5892900").pn. and (receiv\$5 with search\$5 with (request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:09
S11 0	0	("5892900").pn. and (receiv\$5 same search\$5 same (request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:09

EAST Search History

S11 1	0	("5892900").pn. and (reciev\$5 same search\$5 same (request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:09
S11 2	1	("5892900").pn. and (search\$5 same (request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:10
S11 3	1	("5892900").pn. and (search\$5 same (request\$5) same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:11
S11 4	1	("5892900").pn. and (search\$5 same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:12
S11 5	1	("5892900").pn. and (search\$5 same (catalog database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:12
S11 6	0	("5892900").pn. and (search\$5 same (catalog same database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:12
S11 7	1	("5892900").pn. and (search\$5 same (catalog database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 08:12
S11 8	2	"5892900".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 14:34
S11 9	1	"5892900".pn. and ((content adj3 provider) with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:05
S12 0	1	"5892900".pn. and ((content adj3 provider) with serv\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:32

EAST Search History

S12 1	2	("20020178081").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:32
S12 2	0	("20020178081").pn. and (register\$5 with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:33
S12 3	1	("20020178081").pn. and (register\$5 same terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:33
S12 4	0	"5892900".pn. and (regist%8 with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/17 14:34
S12 5	0	"5892900".pn. and (regist%8 with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:35
S12 6	1	"5892900".pn. and (regist\$8 with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:35
S12 7	1	"5892900".pn. and ((regist\$8 entrol\$5) with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:35
S12 8	1	"5892900".pn. and ((regist\$8) with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 14:35
S12 9	2	"20020178081".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:10
S13 0	0	"20020178081".pn. and bench\$1mark\$r	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:11

EAST Search History

S13 1	0	"20020178081".pn. and bench\$1mark\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:43
S13 2	0	"20020178081".pn. and bench\$1mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:11
S13 3	1	"20020178081".pn. and bench adj mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:12
S13 4	1	"20020178081".pn. and ((bench adj mark) with (time duration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:31
S13 5	2	("5892900").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:31
S13 6	1	("5892900").pn. and (search\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:31
S13 7	0	("5892900").pn. and (search\$5 with spreadsheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:32
S13 8	0	("5892900").pn. and (search\$5 same spreadsheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:32
S13 9	1	("5892900").pn. and (spreadsheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:33
S14 0	1	("5892900").pn. and (spreadsheet wordprocess\$5 word\$1process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:44

EAST Search History

S14 1	1	("5892900").pn. and (rate with(usage utilization charge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:47
S14 2	1	("5892900").pn. and (search\$5 quer\$5) with (type categor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:50
S14 3	1	("5892900").pn. and (enter\$5 with (search\$5 quer\$5 request\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:50
S14 4	0	("5892900").pn. and (enter\$5 with (search\$5 quer\$5 request\$5)) same (interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:51
S14 5	1	("5892900").pn. and (interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:51
S14 6	1	("5892900").pn. and (interface with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:51
S14 7	1	("5892900").pn. and (interface with user) same(sarch\$5 quer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:57
S14 8	0	("5892900").pn. and (server\$5 with processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 12:57
S14 9	1	("5892900").pn. and (distribut\$5 with processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:00
S15 0	0	("5892900").pn. and (settl\$5 same (charg\$5 cost\$5 expens\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:01

EAST Search History

S15 1	0	("5892900").pn. and (settl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:00
S15 2	1	("5892900").pn. and ((charg\$5 cost\$5 expens\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:01
S15 3	1	("5892900").pn. and (calcul\$5 with (charg\$5 cost\$5 expens\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:03
S15 4	1	("5892900").pn. and ((pay\$5 charg\$5 cost\$5 expens\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:04
S15 5	1	("5892900").pn. and ((usage utilization) same (pay\$5 charg\$5 cost\$5 expens\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:04
S15 6	1	("5892900").pn. and ((usage utilization) same creator same (pay\$5 charg\$5 cost\$5 expens\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:04
S15 7	1	("5892900").pn. and ((usage utilization) same user same creator same (pay\$5 charg\$5 cost\$5 expens\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:06
S15 8	1	("5892900").pn. and ((usage utilization) same user same creator same (pay\$5 charg\$5 cost\$5 expens\$5)) and payment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:06
S15 9	1	("5892900").pn. and ((usage utilization) same user same creator same (pay\$5 payment charg\$5 cost\$5 expens\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:07
S16 0	0	("5892900").pn. and ((usage utilization) same user same creator same (pay\$5 payment charg\$5 cost\$5 expens\$5) same (multiple) same (content application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:07

EAST Search History

S16 1	0	("5892900").pn. and ((usage utilization) same user same creator same (pay\$5 payment charg\$5 cost\$5 expens\$5) same (many several multiple) same (content application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:08
S16 2	1	("5892900").pn. and ((usage utilization) same user same creator same (pay\$5 payment charg\$5 cost\$5 expens\$5) same (many several combin\$5 multiple) same (content application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:13
S16 3	1	("5892900").pn. and ((start\$5 and end\$5) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:14
S16 4	1	("5892900").pn. and ((start\$5 end\$5 duration) same time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:14
S16 5	1	("5892900").pn. and ((duration) same time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:16
S16 6	0	("5892900").pn. and ((duration) same calculat\$5 same time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:16
S16 7	1	("5892900").pn. and ((duration) same calculat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:17
S16 8	1	("5892900").pn. and ((duration usage use utilization) same calculat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:35
S16 9	0	("5892900").pn. and (test\$ with mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:29

EAST Search History

S17 0	1	("5892900").pn. and (select\$5 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:29
S17 1	1	("5892900").pn. and (select\$5 with content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:30
S17 2	1	("5892900").pn. and (select\$5 with content) same interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:30
S17 3	2	("5892900").pn. and ((duration usage use utilization) several (content application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:35
S17 4	1	("5892900").pn. and ((duration usage use utilization) same several same (content application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:38
S17 5	1	("5892900").pn. and ((duration usage use utilization) with (content application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:53
S17 6	0	("5892900").pn. and ((disconnect with terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:49
S17 7	1	("5892900").pn. and ((disconnect same (interface terminal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:42
S17 8	0	"20020178081".pn. and (disconnect with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:43
S17 9	0	"20020178081".pn. and (disconnect\$5 with terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:43

EAST Search History

S18 0	1	"20020178081".pn. and (disconnect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:43
S18 1	0	("5892900").pn. and (log\$5 with (off out))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:49
S18 2	1	("5892900").pn. and (password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:49
S18 3	1	("5892900").pn. and ((duration usage use utilization) with (content application)) and ((end\$5 start\$5) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:54
S18 4	1	("5892900").pn. and ((duration usage use utilization) with (content application)) same ((end\$5 start\$5) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:55
S18 5	1	("5892900").pn. and ((duration length usage use utilization) with (content application)) same ((end\$5 start\$5) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 13:55
S18 6	2	"20030200154".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 14:35
S18 7	1	("5892900").pn. and (free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 12:57
S18 8	1	("5892900").pn. and (select with (icon option image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 12:58
S18 9	1	("5892900").pn. and (select with (icon option content image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 12:59

EAST Search History

S19 0	1	("5892900").pn. and (select with (product image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 12:59
S19 1	1	("5892900").pn. and (select with (product content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:29
S19 2	2	"20020178081".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:23
S19 3	1	("5892900").pn. and (guest test free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:30
S19 4	0	("5892900").pn. and (select\$5 same (icon) same (guest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:34
S19 5	0	(@ad<"20010222").ad. and (select\$5 same (icon) same (guest)) and (bench\$1mark beta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:35
S19 6	321983	(@ad<"20010222").ad. and (bench\$1mark beta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:35
S19 7	40	(@ad<"20010222").ad. and ((web adj3 site) same (bench\$1mark beta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:36
S19 8	29	(@ad<"20010222").ad. and (7\$\$/\$\$).ccls. and ((web adj3 site) same (bench\$1mark beta))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:38
S19 9	6	(@ad<"20010222").ad. and (7\$\$/\$\$).ccls. and ((web adj3 site) same (bench\$1mark beta) with test\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:40

EAST Search History

S20 0	3182	(application adj3 service adj3 provider) and regist\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:36
S20 1	1211	(application adj3 service adj3 provider) and regist\$8 and (usage use utiliz\$8) with (time period threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:36
S20 2	595	(application adj3 service adj3 provider) and regist\$8 and (usage use utiliz\$8) with (time period threshold) and ((bech\$1mark test\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:37
S20 3	130	(application adj3 service adj3 provider) and regist\$8 and (usage use utiliz\$8) with (time period threshold) and ((bech\$1mark test\$5) same (select\$5)) and (download\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:47
S20 4	121	(application adj service adj provider) and regist\$8 and (usage use utiliz\$8) with (time period threshold) and ((bech\$1mark test\$5) same (select\$5)) and (download\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 11:47
S20 5	121	(application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bech\$1mark test\$5) same (select\$5)) and (download\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 14:14
S20 6	113	(application adj service adj provider) and regist\$8 and ((usage use utiliz\$8) with (time period threshold)) and ((bech\$1mark test\$5) same (select\$5)) and (download\$5) and (charg\$5 wav\$8 free guest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:25
S20 7	2	"20020026371".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 12:25

ProQuest

[Return to the USPTO NPL Page](#) | [Help](#)

Basic

Advanced

Topics

Publications

My Research
0 marked items

Interface language:

English

Databases selected: Multiple databases...

Results

56 documents found for: PDN(<02/22/2001) and ((benchmark or "bench mark")) and (download) and executable

[» Refine Search](#) | [Set Up Alert](#) ☒[All sources](#) | [Scholarly Journals](#) | [Magazines](#) | [Trade Publications](#) | [Newspapers](#)☒ Mark
all☐ 0 marked items: Email / Cite /
Export☒ Show only full
textSort results by: [Most recent first](#)

- ☐ 1. **DRC: A Dual Route Cascaded Model of Visual Word Recognition and Reading Aloud**
Max Coltheart, Kathleen Rastle, Conrad Perry, Robyn Langdon, Johannes Ziegler. *Psychological Review [PsycARTICLES]*. Jan 2001. Vol. 108, Iss. 1; p. 204

☒ Full text☒ Full Text - PDF☒ Abstract

- ☐ 2. **A guide to consortium sites**
Anonymous. *Euromoney*. London: Dec 2000. p. 36

☒ Full text☒ Abstract

- ☐ 3. **The VTrace tool: Building a system tracer for Windows NT and Windows 2000**
Jacob R Lorch, Alan Jay Smith. *MSDN Magazine*. San Mateo: Oct 2000. Vol. 15, Iss. 10; p. 86 (12 pages)

☒ Abstract

- ☐ 4. **Resources**
IT Professional Magazine. Washington: Sep/Oct 2000. Vol. 2, Iss. 5; p. 61

☒ Full Text - PDF☒ Citation

- ☐ 5. **Retreading Quincy**
Al Stevens. *Dr. Dobb's Journal*. San Mateo: Jun 2000. Vol. 25, Iss. 6; p. 106 (5 pages)

☒ Abstract

- ☐ 6. **Slamming compilers, e-books**
Al Stevens. *Dr. Dobb's Journal*. San Mateo: May 2000. Vol. 25, Iss. 5; p. 105 (4 pages)

☒ Abstract

- ☐ 7. **Under the hood**
Matt Pietrek. *MSDN Magazine*. San Mateo: May 2000. Vol. 15, Iss. 5; p. 137 (5 pages)

☒ Abstract


- ☐ 8. **SystemC support set to launch at DSP World**
Stephan Ohr. *Electronic Engineering Times*. Manhasset: Apr 10, 2000. p. 61 (2 pages)



☒ Full text☒ Full Text - PDF☒ Citation



- ☐ 9. **Don't rush to climb on Win2k bandwagon**
Rick Nelson. *Test & Measurement World*. Boston: Apr 2000. Vol. 20, Iss. 5; p. 23 (4 pages)


☒ Full text☒ Full Text - PDF☒ Abstract


10. **An API for runtime code patching**
 Bryan Buck, Jeffrey K Hollingsworth. *The International Journal of High Performance Computing Applications*. London: Winter 2000. Vol. 14, Iss. 4; p. 317 (13 pages)



 [Abstract](#)
11. **The need for speed, stability: Fastest Java Virtual Machine runs on Linux**
 Scott Plamondon. *JavaWorld*. San Francisco: Nov 5, 1999. p. 1



 [Full text](#)  [Abstract](#)
12. **The need for speed, stability: Raw VM performance improves across the board in the latest VolanoMark 2.1.2 server-side benchmarks, but network scalability remains a thorny issue**
 Scott Plamondon. *JavaWorld*. San Francisco: Oct 1, 1999. p. 1




 [Full text](#)  [Abstract](#)
13. **From toys to teraflops: Bridging the beowulf gap**
 Thomas Sterling, Daniel F Savarese. *The International Journal of High Performance Computing Applications*. London: Fall 1999. Vol. 13, Iss. 3; p. 191 (10 pages)



 [Citation](#)
14. **Using dynamic kernel instrumentation for kernel and application tuning**
 Ariel Tamches, Barton P Miller. *The International Journal of High Performance Computing Applications*. London: Fall 1999. Vol. 13, Iss. 3; p. 263 (14 pages)



 [Citation](#)
15. **News and New Product Briefs (July 20, 1999)**
 Kane Scarlett. *JavaWorld*. San Francisco: Aug 1, 1999. p. 1




 [Full text](#)  [Abstract](#)
16. **Are you ready for a communications audit?**
 Alisa Fogelman-Beyer. *Public Relations Tactics*. New York: Aug 1999. Vol. 6, Iss. 8; p. 19 (1 page)



 [Full text](#)  [Abstract](#)
17. **Control Web site content**
 Steve Steinke. *Network Magazine*. Jun 1999. Vol. 14, Iss. 6; p. 60 (4 pages)

 [Text+Graphics](#)  [Full Text - PDF](#)  [Abstract](#)
18. **Abstracts from the Annual Meeting of the Society for Technology in Anesthesia, January 20-23, 1999, Hotel del Coronado, San Diego, CA, USA**
Journal of Clinical Monitoring and Computing. Dordrecht: May 1999. Vol. 15, Iss. 3-4; p. 235

 [Article image - PDF](#)  [Citation](#)
19. **IBM Releases Industry's Fastest Java Virtual Machine for Windows**
Business Editors. *Business Wire*. New York: Apr 12, 1999. p. 1


 [Full text](#)  [Abstract](#)
20. **Compilers--the last word**
 Jack W Crenshaw. *Embedded Systems Programming*. Apr 1999. Vol. 12, Iss. 4; p. 11 (11 pages)

 [Text+Graphics](#)  [Full Text - PDF](#)  [Abstract](#)
21. **News and New Product Briefs (2/20/99)**
 Kane Scarlett. *JavaWorld*. San Francisco: Mar 1, 1999. p. 1

 [Full text](#)  [Abstract](#)

22. **The Volano Report: Which Java platform is fastest, most scalable? A JavaWorld exclusive; Results of new VolanoMark 2.1 server benchmarks reveal how 10 virtual machines stack up on 6 OSs**


John Neffenger. JavaWorld. San Francisco: Mar 1, 1999. p. 1

 [Full text](#)

 [Abstract](#)

23. **News and New Product Briefs (12/17/98)**

Kane Scarlett. JavaWorld. San Francisco: Jan 1, 1999. p. 1

 [Full text](#)

 [Abstract](#)

24. **D-Flat 2000 and Quincy 99: Breathing new life into old projects**

Al Stevens. Dr. Dobb's Journal. San Mateo: Dec 1998. Vol. 23, Iss. 12; p. 118 (4 pages)

 [Abstract](#)

25. **Compiled Java with TowerJ**

Andy Barnhart. Software Development. San Francisco: Nov 1998. Vol. 6, Iss. 11; p. 18 (2 pages)

 [Abstract](#)

26. **Compiling Java**

Jason Steinhorn. Embedded Systems Programming. Sep 1998. Vol. 11, Iss. 10; p. 42 (10 pages)

 [Text+Graphics](#)

 [Full Text - PDF](#)

 [Abstract](#)

27. **Creating a download library on your Web site**

Larry Buchanan. MultiMedia Schools. Sep/Oct 1998. Vol. 5, Iss. 4; p. 46 (3 pages)

 [Text+Graphics](#)

 [Full Text - PDF](#)

 [Abstract](#)

28. **Get the most out of Win 98**

Scot Finnie; David W Methvin. Windows Magazine. Manhasset: Sep 1998. Vol. 9, Iss. 9; p. 142 (15 pages)

 [Citation](#)

29. **Feature highlights of Windows CE 2.0**

Anonymous. Microsoft Systems Journal. San Francisco: May 1998. Vol. 13, Iss. 5; p. 23 (8 pages)

 [Abstract](#)

30. **Microsoft Windows CE 2.0: It's not just for handheld PCs any more**

Paul Yao. Microsoft Systems Journal. San Francisco: May 1998. Vol. 13, Iss. 5; p. 19 (12 pages)

 [Abstract](#)

1-30 of 56

< First | < Previous 1 2 Next >

Want to be notified of new results for this search? [Set Up Alert](#) 

Results per page:  30

Basic Search

 Tools: [Search Tips](#) [Browse Topics](#) [5 Recent Searches](#) 

PDN(<02/22/2001) and ((benchmark or "bench mark")) and (download) an





Database:

 Multiple databases...



Select multiple databases

Date range:

 All dates



Databases selected: Multiple databases...

Results

56 documents found for: PDN(<02/22/2001) and ((benchmark or "benchmark") and (download) and executable

>> [Refine Search](#) | [Set Up Alert](#) ☒

All sources | [Scholarly Journals](#) | [Magazines](#) | [Trade Publications](#) | [Newspapers](#)

☒ Mark all
☐ 0 marked items: Email / Cite / Export

☒ Show only full text

Sort results by: [Most recent first](#)

- ☒ 31. **Frameworks for Component-Based Client/Server Computing**
 Scott M Lewandowski. *ACM Computing Surveys*. Baltimore: Mar 1998. Vol. 30, Iss. 1; p. 3 (25 pages)

[Text+Graphics](#) [Full Text - PDF](#) [Abstract](#)
- ☒ 32. **U -- EDUCATION AND TRAINING SERVICES**
 Commerce Business Daily. Washington: Feb 17, 1998. p. 1

[Full text](#) [Citation](#)
- ☒ 33. **Is Java a successor to SNMP distributed management?**
 Mary Slocum, Subodh Bapat. *Telecommunications*. Feb 1998. Vol. 32, Iss. 2; p. 70 (2 pages)

[Full text](#) [Full Text - PDF](#) [Abstract](#)
- ☒ 34. **Working with motion capture file formats**
 Jeff Lander. *Game Developer*. San Francisco: Jan 1998. Vol. 5, Iss. 1; p. 30 (8 pages)

[Text+Graphics](#) [Full Text - PDF](#) [Abstract](#)
- ☒ 35. **FAQs on Online research**
 Diane K Bowers. *Marketing Research*. Chicago: Winter 1998. Vol. 10, Iss. 4; p. 45 (4 pages)

[Full text](#) [Full Text - PDF](#) [Abstract](#)
- ☒ 36. **Symantec Releases Version 2.1 of Visual Cafe for Java Professional Development Edition For Windows 95/NT**
 PR Newswire. New York: Dec 15, 1997. p. 1

[Full text](#) [Citation](#)
- ☒ 37. **Symantec Releases Version 2.1 of Visual Cafe for Java Database Development Edition for Windows 95/NT**
 PR Newswire. New York: Dec 15, 1997. p. 1


[Full text](#) [Citation](#)
- ☒ 38. **Slim binaries**
 Michael Franz, Thomas Kistler. *Association for Computing Machinery. Communications of the ACM*. New York: Dec 1997. Vol. 40, Iss. 12; p. 87 (8 pages)

[Text+Graphics](#) [Full Text - PDF](#) [Abstract](#)
- ☒ 39. **Web-based IDE holds much potential**
 Daniel Mann. *Electronic Engineering Times*. Manhasset: Aug 4, 1997. p. 68 (2 pages)


[Text+Graphics](#) [Full Text - PDF](#) [Citation](#)


40. **Architecture is key to execution in Java**
George Shaw. *Electronic Engineering Times*. Manhasset: Jun 16, 1997. p. 119 (3 pages)
[Text+Graphics](#) [Full Text - PDF](#) [Citation](#)
41. **Trace-driven memory simulation: A survey**
Richard A Uhlig, Trevor N Mudge. *ACM Computing Surveys*. Baltimore: Jun 1997. Vol. 29, Iss. 2; p. 128 (43 pages)
[Text+Graphics](#) [Full Text - PDF](#) [Abstract](#)
42. **Free tune up!**
Lenny Bailes, Jim Boyce, Karen Kenworthy. *Windows Magazine*. Manhasset: Jun 1997. Vol. 8, Iss. 6; p. 210 (12 pages)
[Citation](#)
43. **Beyond Benchmarking**
Grace, Rich. *Byte*. Peterborough: Aug 1996. Vol. 21, Iss. 8; p. 121 (4 pages)
[Citation](#)
44. **Reconfigurable logic: Built-in adaptability**
Conner, Doug. *EDN*. Boston: Jun 20, 1996. Vol. 41, Iss. 13; p. 42 (13 pages)
[Text+Graphics](#) [Full Text - PDF](#) [Abstract](#)
45. **Presidents' roundtable - Future vision**
Pellet, Jennifer. *Discount Merchandiser*. Dec 1995. Vol. 35, Iss. 12; p. 47 (13 pages)
[Full text](#) [Full Text - PDF](#) [Abstract](#)
46. **The verdict: 6.1**
Ryan, S, Stapleton, Lisa. *InfoWorld*. San Mateo: Aug 21, 1995. Vol. 17, Iss. 34; p. 1 (8 pages)
[Full text](#) [Abstract](#)
47. **Novell Brings Unix Down To Earth--UnixWare 2.0 is a fully featured server; as easy to work with as a traditional PC operating system**
David Fiedler. *InformationWeek*. Manhasset: Mar 20, 1995. p. 96
[Full text](#) [Citation](#)
48. **Network virus protection: An ounce of prevention**
Anonymous. *InfoWorld*. San Mateo: Feb 13, 1995. Vol. 17, Iss. 7; p. 84 (2 pages)
[Full text](#) [Full Text - PDF](#) [Abstract](#)
49. **New Internet support for IS**
Anonymous. *InfoWorld*. San Mateo: Jan 30, 1995. Vol. 17, Iss. 5; p. 68 (2 pages)
[Full text](#) [Full Text - PDF](#) [Abstract](#)
50. **Managing the mail-storm**
InfoWorld. San Mateo: Nov 14, 1994. Vol. 16, Iss. 46; p. 142 (14 pages)
[Full text](#) [Full Text - PDF](#) [Abstract](#)
51. **Watcom C/C(Plus Plus) gets a new face**
Grehan, Rick. *Byte*. Peterborough: Oct 1994. Vol. 19, Iss. 10; p. 153 (4 pages)
[Abstract](#)
52. **Virus-prevention NLMs**

Anonymous. **Byte**. Peterborough: Aug 1994. Vol. 19, Iss. 8; p. 129 (6 pages)

 [Abstract](#)

- ☐ 53. **Painless file extraction: The a(rc)-z(oo) of Internet archi**
Simmonds, Curtis. Online. Medford: Nov 1993. Vol. 17, Iss. 6; p. 60 (5 pages)

 [Full text](#)


 [Full Text - PDF](#)

 [Abstract](#)

- ☐ 54. **Discovering a world beyond NetWare**
Petreley, Nicholas, Durlister, Nancy, Wonnacott, Laura. InfoWorld. San Mateo: May 24, 1993. Vol. 15, Iss. 21; p. 108 (10 pages)

 [Full text](#)

 [Full Text - PDF](#)

 [Abstract](#)

- ☐ 55. **C++ Windows Development**
Delrossi, Robert A.. InfoWorld. San Mateo: Aug 17, 1992. Vol. 14, Iss. 33; p. 96 (8 pages)

 [Full text](#)

 [Abstract](#)

- ☐ 56. **SAA: Can It Bridge the Gap?**
Foster, Ed. InfoWorld. San Mateo: Feb 11, 1991. Vol. 13, Iss. 6; p. S1 (2 pages)

 [Full text](#)

 [Full Text - PDF](#)

 [Abstract](#)

31-56 of 56

[< First](#) | [< Previous](#) [1](#) [2](#) [Next >](#)

Want to be notified of new results for this search? [Set Up Alert](#) 

Results per page:

Basic Search

[Tools:](#) [Search Tips](#) [Browse Topics](#) [5 Recent Searches](#)


PDN(<02/22/2001) and ((benchmark or "bench mark")) and (download) and

[Search](#)

[Clear](#)

Database: [Select multiple databases](#)

Date range:

Limit results to: ☒ Full text documents only 

☐ Scholarly journals, including peer-reviewed  [About](#)

[More Search Options](#)  [Hide options](#)

Publication title: [Browse publications](#) [About](#)

Author: [About](#)

Look for terms in: [About](#)

Document type:

Publication type:

Exclude from results: ☐ Book Reviews

☐ Dissertations

☐ Newspapers